

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/800,163	03/12/2004	Vijay Deshmukh	67272-8062.US01	9062
7590 02/04/2010			EXAMINER	
Perkins Coie LL P.O. Box 1208	.P		LE, MIRANDA	
Seattle, WA 98	111-1208		ART UNIT	PAPER NUMBER
			2159	
			NOTIFICATION DATE	DELIVERY MODE
			02/04/2010	ELECTRONIC

NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

The drawings filed $8-5-04$ have been received. However, an inconsistency exists between the
The drawings filed/ have been received. However, an inconsistency exists between the
drawings and the Brief Description of the Drawings in the specification.
Figures $3A$ are listed in the Brief Description of the Drawings in the specification but not
contained in the Drawings.
Figures are contained in the Drawings but not listed in the Brief Description of the Drawings in the specification.

Applicant is required to correct the above-noted inconsistency within a time period of ONE MONTH or THIRTY (30) DAYS, whichever is longer, from the mailing date of this Notice, or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. NO EXTENSION OF THIS TIME PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b).

Failure to correct the above noted inconsistency will result in abandonment of the application.

The file will be held in the Publishing Division to await the correction of the inconsistency.

Return Corrected Drawings/Specification to:

Mail Stop Issue Fee Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

571-272-4200 or 1-888-786-0101 **Application Assistance Unit** Office of Data Management